
new orleans

AHVHERT AND IN THE BUT OF THE BUT

ARCHITECT



ROSTER OF MEMBERS

NEW ORLEANS CHAPTER, THE AMERICAN INSTITUTE OF ARCHITECTS

Including Parishes of St. James, St. John the Baptist, St. Charles, Jefferson, St. Bernard, Orleans and Plaquemines



WILLIAM E. BERGMAN, President H. MORTIMER FAVROT, JR., Secty. JOSEPH G. BERNARD, Director MURVAN M. MAXWELL, Director SIDNEY J. FOLSE, JR., Vice-President PHARES A. FRANTZ, Treasurer JAMES R. LAMANTIA, JR., Director LEMUEL W. McCOY, Director

MISS STELLA FAGET, Executive Secretary, 510 Esplanade Ave., New Orleans 16, La.

CORPORATE MEMBERS

Allison, Patrick M. Ammen, Charles E. Andry, Charles G. Applegarth, Raymond T. Bear, Albert G. - Emeritus Sera, William J. Bergman, William E. Bernard, Joseph — Emeritus Bernard, J. Grima Biackstone, William C. Blitch, J. Buchanan Bonie, Walter C. Boudreaux, Raymond J. Burk, Thompson B. Burns, Robert O. Caldwell, Donald H. Cazale, Philip P. Chachere, Tilghman G., Jr. Cimini, Benedetto, Jr. Corry, Joseph B. Coupland, Robert S., Jr. Cummins, Robert Curtis, N. C., Jr. — Fellow Danserau, Valeton, Jr. Davis, Arthur Q. - Fellow Delatte, Martin J. de la Vergne, Jules K. Diboll, Collins C. Doell, Walter G., Jr. Drew, Robert L. Dreyfous, F. Julius - Emeritus Dufrechou, Leo F. Favrot, H. Mortimer, Jr. Feitel, Arthur - Fellow-Emeritus Finger, Milton H., Jr. Folse, Sidney J., Jr. Frantz, Phares A. Freret, Douglass V. Fuhrmann, Emile F. Fulco, Jos. T. Gardner, Wm. P.

Gibert, Eugene - Emeritus Gibert, James H. Goldstein, Louis A. Goldstein, Moise H. - Fellow-Emeritus Grimball, Henry G. Haase, Lucien M. Heck, Eldon C. Hess, Wiliam J., Jr. Hogg, Mary C. (Miss) Hooper, Janet E. (Miss) Hooton, Claude E. Hymel, Alton C. Johnson, Kamlah L. Keenan, Walter Cook, Jr. Keenan, Walter Cook, Sr. - Emeritus Kessels, J. Jack H. Koch, Richard — Fellow — Emeritus Kohler, Irving, Jr. Labouisse, F. Monroe Lachin, John M., Jr. Lamantia, James R., Jr. Lawrence, John W. Leake, George M. LeBreton, D. C. Ledner, Albert C. Lowrey, Mark P. Lohman, Ben K. Mason, E. B. - Emeritus Mathes, Earl Mathes, Mildred A. (Miss) Maxwell, Murvan M. McCoy, Lemuel W. Meric, Thomas S. Montz, Andrew S. - Emeritus Mouledous, Richard C. Muller, Stanley W. Murray, Paul Mykolyk, Mary Nolan, Ulissue M. Nolan, Warren Olschner, Carl L.


Oppenheimer, Leo M. Osborne, Thomas L. Oubre, James P. Parham, Frederick D. - Fellow Perez, August, Jr. Perez, August, III Perrier, Theodore L. - Emeritus Riehl, George Reilly, Maurice E. Reisch, Erston H. Ricciuti, I. Wm. Rock, John W. Roessle, Rudolph B. - Emeritus Rolfs, Arthur, Jr. Rosenthal, Sol — Fellow — Emeritus Rowe, Charles J. Rubin, Maury I. Sanderson, George A. Saputo, Albert J. Saunders, George A. Schneider, Andrew L. Seiferth, Solis - Fellow Silverstein, Edward B. Simoni, R. T. Singer, Maurice Smith, Thomas B. Staub, Guy M. Stoffle, M. Wayne Suchke, Frederick R. Thomson, John H. - Emeritus Trepagnier, Horace E. Tsoi, Edward M. Y. Underwood, H. T. Valladares, Rene Verges, Ernest E. von Osthoff, Frederick V. Wagner, Leo F., Jr. Wicker, Chester Willis, Norman J. Wilson, Samuel Jr. - Fellow Wolf, Albert J., Jr.

ASSOCIATE MEMBERS

Beller, Leonard E. Conger, Thomas D. Etheredge, Leonore U. (Mrs.) Farah, Frederick Freret, Jack B. Haller, Harold O. Moss, Betty A. L. (Mrs.) Pique, Harold E. Rezza, Martin D.

JUNIOR ASSOCIATE MEMBERS
Weinstein, Norman J.
HONORARY ASSOCIATE MEMBERS
Donaldson, Joseph, Jr.
ASSIGNED ASSOCIATE MEMBERS
Olsen, Ole K.

Front Cover Photo by JACK BEECH of a 1731 map drawn by Gonichon



his project, "A Combined Fire & Police Station" is a new step forward n intra-departmental cooperation and elationship. It provides these two nost needed service agencies within

ne building.

While each of these two agencies rovide a public service, the nature of heir individual requirements dictated omplete and separate facilities with he resulting problem of knitting the wo into a unified whole. This has een accomplished on the exterior by he careful massing of the main buildng elements and tieing them together ith an exposed concrete frame. The xterior walls consist of an infilling of re-cast exposed aggregate panels and nasonry units, combined with floor to eiling glazing where possible.

The interior arrangement was predcated on two considerations. The

plan which functioned efficiently around the clock with a minimum amount of friction and conflict among the men, who of necessity must work long and sometimes arduous ours of duty. The second was that of the future expansion of both agencies.

The building is fully air conditioned by means of a common air condi-


ioning system zoned so as to provide ndividual control for both agencies.

Vehicular traffic control is expedited on the outside by the use of separate lrives, one for the fire fighting appacatus and another for police vehicles and off street parking.

COMBINED FIRE-POLICE STATION

FOR THE CITY OF NEW ORLEANS

MATHES, BERGMAN & ASSOCIATES **ARCHITECTS**







919-921 ROYAL ST.

VIEUX CARRÉ SURVEY

A project which should be of particular interest to architects is the comprehensive survey of the Vieux Carré, which is being conducted under the auspices of the Tulane University School of Architecture through a grant made for the purpose by the Edward G. Schlieder Educational Foundation. The three year project is now nearing the end of its second year and has produced a remarkable store of information on the

architecture and history of the old buildings of the French Quarter.


In the well known "Down's Report" prepared for the Central Area Committee of the New Orleans Chamber of Commerce, it is stated that the Vieux Carré, with its great attraction for tourists, "is one of the single most important elements in the economic basis of the city". The 'Report' also strongly recommended that a study, such as the present Vieux Carré Survey be undertaken "as a basis for a comprehensive plan for the area".

The Louisiana Landmarks Society, recognizing the value of this recommendation, made an appropriation to cover the cost of a pilot study of one block in the Quarter. This pilot study included a recent photograph of each property in the selected square, an abstract of the chain of title of each and whatever old photographs, drawings, early

1228-1232 CHARTRES ST.









629 GOV. NICHOLLS ST.

descriptions or other information available concerning them. On the basis of this study, the Tulane School of Architecture, in co-operation with the Louisiana Landmarks Society, applied for and received a grant of \$45,000,00 to extend the survey to cover the entire Vieux Carré. The director selected for the work was Boyd Cruise, artist and architectural historian with many years of experience with the A.I.A.-National Park Service sponsored Historic American Buildings Survey in the 1930's. The advisory board is composed of Dean John Lawrence, Professor Bernard Lemann and Samuel Wilson, Jr. of the architectural school faculty besides Leonard V. Huber, Richard Koch and General L. Kemper Williams. The staff, besides Mr. Cruise, includes several research workers and translators.

In less than two years an impressive collection of several thousand photographs and many pages of historical data have been collected. Material has been obtained from local libraries as well as the Library of Congress; private collectors have been generous in allowing the use of valuable documents, and public archives and old newspaper files have yielded much hitherto unknown information. Architects who have old photographs, plans, drawings or sketches of buildings in the Quarter could make a valuable contribution to the project by making such material available. Director Cruise may be reached at 525-3567.


The illustrations on these pages are examples of the work of the Survey. At the upper left page D is the startling contrast between the old photograph of the cottage at 919-921 Royal Street, adjacent to the house with the cornstalk fence, and beside it a photograph of the same building in its present condition with second story, wood enclosed stair and gallery all added to the beautiful old tile roofed cottage which had been built originally in the late 1700's by the Spanish government as a public school and later, after the Louisiana Purchase, served as the Federal court building, the court where Andrew Jackson was fined for imposing marital law after the Battle of New Orleans in 1815. The alterations which practically destroyed this historic structure were made around 1890-1900.

Bottom left page D is another contrast; Architect De Pouilly's drawing of one of a row of columned houses on Chartres Street between Gov. Nicholls and Barracks, a drawing from the Notarial Archives in the Civil District Court House made in 1846 when the houses were offered for sale soon after they were built—beside it a photograph as the same house is today, half of it demolished and the remainder disfigured by the removal of columns, etc.

Above is another drawing from the Notarial Archives of the building at 629 Gov. Nicholls Street as it appeared in 1858 and as it is today. Here a minimum amount of work could restore this old structure to its original condition. Material such as this could be of great help to architects and owners working on restorations in the Quarter and should help to preserve the character and integrity of the buildings. Results of the survey should also greatly assist the Vieux Carré Commission in making wise decisions in this area and should have a most beneficial effect in encouraging the preservation and restoration of this most important asset to the economy and vitality of New Orleans.

Target date for completion of the survey is April 1, 1964 after which the results will be available for study and use. Unfortunately the small size of the staff does not permit of public use during the course of the study.

Samuel Wilson, Jr. 1/10/63



YMCA

CENTRAL DORMITORY

LEE CIRCLE

NEW ORLEANS, LA.

ROESSLE & von OSTHOF

GERVAIS F. FAVROT, INC.
GENERAL CONTRACTOR

A recent contribution to New Orleans' skyline is the new ten-story addition to the original Y.M.C.A. building facing Lee Circle. Trapezoidal in plan, this structure was built on a very confined site with a curved frontage, 80'0" long, on Lee Circle.

This building satisfied a long felt need of the Y.M.C.A. for additional dormitory space without materially disrupting the service activities of the organization during construction. The original 45-rooms were increased to 180 rooms and the expanded program can provide for as many as 209 beds. Not exactly a hotel, this building is designed to provide living space at a minimum rate for transients or for young men who come to New Orleans with the possible idea of putting their roots into the soil. All rooms in the new section, as well as the old building, are designed around the Y.M.C.A. standards.

The new building was constructed on composite wood piling—jetted through to the 80'0" sand strata with the cut-off line well below the sub-surface water level. The structure—reinforced concrete design throughout, using regular concrete to the ground floor level and light weight concrete for the upper ten floors—is perhaps the highest building in New Orleans constructed of reinforced light weight concrete. At the junction of the new and old sections, the slabs were cantilevered from the new columns and the joints were concealed with aluminum expansion joints. The corridors of the 2nd, 3rd and 4th floors are tied into those of the original building.

The first floor provided a new entrance and control point for boys—adjacent to the new entrance for the adults. The adult entrance is adjacent to a new

lounge and gives immediate access to two new elevators which are next to the new room desk control. New offices as well as new meeting rooms were provided.

The first floor area is the only section designed with Year-Round Air Conditioning. Because of the basic economic requirements, it was decided that all rooms in the new section were to contain individual air conditioning units, individually activated (for a small additional fee) through remote control relays on each floor from the control desk in the entrance lobby. These wall units, installed under the window of each room, provided an unsightly pattern on the exterior of the building. This condition, combined with the fact that all the windows on the front side of the building are affected with the Western sun at some time during the summer, dictated the use of solar screens on these faces. The solar screens are of concrete block and use the so-called "wagon wheel" pattern. The mix for these units is a particularly dense combination of white cement and Texas lime-stone. The screens are cantilevered over the front sidewalk and the side alleys and extend a distance sufficient to provide ready access for the Fire Department to enter the building on the upper floors.

The brick used was a well mixed, full range Slidell brick for contrast with the white screen. Consulting Engineers on the project were Louis N.

Goodman & Associates (electrical), A. R. Salzer, Jr. & Associates, Inc. (mechanical)—both of New Orleans—and Mullen & Powell (structural) of Dallas, Texas.

IOONEY EQUIPMENT COMPANY

04 St. Claude Avenue

New Orleans 17, La.

WHitehall 3-6676

hepard Home Elevators"

ptary "Levelator" Lifts

iving Shelter" Fallout Shelters



Ultra-High Pressure Pumps & Valves

idgways



Your Trade Mark of Dependable Quality Blue Prints • Photo Copying Architectural & Engineering Supplies Direct & Blue Print Paper & Print Making Supplies "Ditto," Formerly: Pease Ammonia Machines Copymation White Print Machines Off Set Printing & Reproduction Hamilton Drafting Room Equipment

ckson 2-3831

JAckson 2-4059

L. L. RIDGWAY CO.

433 O'Keefe Ave.

Off Street Parking

SHEET METAL SPEARS-GUTKNECHT ENTERPRISES INC.

FABRICATORS & ERECTORS INDUSTRIAL . COMMERCIAL

- Heating
- Ventilating & Air Conditioning — Duct Work
- Blow Piping
- Hoppers & Chutes
- Drive Guards & Safety Shields
- Vents & Stacks
- Hoods Sinks Trays
- Other Products Made to Order

Manufactured of Conventional or Stainless Steel

31 DECATUR

WHitehall 9-7828

CASH AND SAVE

REFINISHED WALL PANELING \$3.84 up



12 x 12 x 1/2 Ceiling Tile \$.101/2 Vinyl Floor Tile 4 x 8 x 1/4 Prefinished Birch 7.98 Disappearing Stairs 15.93

LUMBER • PLYWOOD • PAINTS

PLYWOODS, INC.

7300 Washington Ave. HU 6-6277 New Orleans, Louisiana



WE TEST WATER

and give you proper recommendations for treating it so that your boilers heating units air conditioning systems and cooling towers perform properly

Specialized Engineering Service for the Correction of Cooling & Heating Water Problems in Industry—Slime & Algae Control—Corrosion Control—Water Treatment Consulting Service

ACCURATE INDUSTRIES, INC. Telephone 949-8315

2831 New Orleans Street

New Orleans 19, La.

PITTSBURGH TESTING LABORATORY

Established 1881

INSPECTING ENGINEERS AND CHEMISTS



New Orleans Office 724 Central Ave.

VErnon 5-0341

P. O. Box 10398

NEW ORLEANS 21, LA.

Branches in all Principal Cities

Approaching a quarter century of Architectural Specification assistance and Technical advice.

Resilient Floor Tile Carpeting & Padding Wall Covering

Residential Commercial Institutional

BROWN and DAMARE', INC.

633 So. Broad St.

New Orleans 19, Louisiana

Distributors & Factory Representatives Dealer Sales Only

S. K. WHITTY AND CO., INC.



PILE DRIVING PROMPT, FRIENDLY SERVICE


3600 DESIRE ST.

PHONE 943-6601


NEW ORLEANS 26, LOUISIANA

P.O. BOX 26186









ARMCO FRAMELESS STEEL BUILDINGS FOR INDUSTRY INSULATED WALL PANELS - FACTORY BAKED COLORS - FULL LINE OF ACCESSORIE LOW-COST STEEL CANOPIES FOR SCHOOLS, PARKING, COMMERCIAL USES

LANDIS CONSTRUCTION CO.



UN 6-7431 NEW ORLEAN!







Building Loss?

Need Construction HELP?

GURTLER, HEBERT & CO., INC.

GENERAL CONTRACTORS

WH 7-062

Fast, Efficient and Reliable

"Not only the letter, but the spirit of the contract"



New Construction — Remodeling — Repairs

COMMERCIAL . INDUSTRIAL . RESIDENTIAL



W. B. LEEDY & CO., INC.

Newell M. Leslie, Vice President

MORTGAGE LOANS RESIDENTIAL AND COMMERCIAL





505 1st NATIONAL LIFE BLDG.

523-5764

NEW ORLEANS 12, LOUISIANA



LOU WALLACE Territory Manager 419 Rosa Metairie, La.

Phone 834-7187





SHERIDAN PARK

RESEARCH COMMUNITY

THE ONTARIO RESEARCH COMMUNITY, Sheridan Park—a joint project of Industry and the Ontario Research Foundation—was officially opened last January.

At the Sheridan Park site of the planned Research Community the ceremonial sod-turning was effected by the Hon. W. G. Davis, Minister of Education, in whose constituency the Research Centre is located. The ceremony included the planting of a tree by Dr. A. D. Misener, Director of the Ontario Research Foundation, assisted by senior officials of the Companies participating in the Research Community.

Following a brief message of congratulations by Mr. R. W. Macaulay, Minister of Economics and Development, Dr. A. D. Misener, Director of the Ontario Research Foundation addressed the 200 guests comprising Canada's top industrialists, research leaders, and educators.

Dr. Misener outlined the sequence of events leading up to todays opening celebrations. Because of space limitations on its present site in Toronto, O.R.F. decided about two years ago to move to a new location. At that time the idea of a Research Community was conceived, and O.R.F. was faced

(Continued on following page)

SHERIDAN PARK

(Continued from page 3)

with two alternatives:

 A site could be selected suitable for O.R.F.'s needs only, or

2) A site could be selected such that industry could conveniently buy land and build research laboratories in close proximity to O.R.F. thereby making provision for a Research Community with O.R.F. as its nucleus.

"Since O.R.F. is not affiliated with any particular industry, and since it is not a government institute, O.R.F. was the most suitable organization in Can-

ada to develop such an undertaking."

"We first made a careful study to ensure that a Research Community was a sound idea from industry's viewpoint," said Dr. Misener, "after which we went ahead to select a suitable site for a Research Community."

"About 35 sites were considered all told," said Dr. Misener, "before we finally decided on the Sheridan Park location."

He paid tribute to Mr. Finch, Managing-Director of the United Lands Corporation for the generous and unstinting assistance given by this Company.

"When we agreed to this site in Park Royal," said Dr. Misener, "United Lands accepted about the most restrictive terms ever imposed on a land development company—exhibiting beyond any question an altruistic as well as a commercial interest in the project. We owe a debt of thanks to Mr. Finch and the United Lands Corporation."

The Research Community is located on 293 acres of land on the north side of the Queen Elizabeth Highway, midway between Toronto and Hamilton (in Toronto Township between Fifth Line and Town Line). As the nucleus of this Research Cen-


tre, O.R.F. will occupay 100 acres.

Three major Companies which have already made plans to locate research laboratories in the Research Community are The Consolidated Mining and Smelting Company of Canada, Dunlop Rubber Company, and The International Nickel Company of Canada. These Companies have played a prominent role in the planning of the Research Centre.

Dr. Misener stressed the value of this type of research centre in attracting research personnel. "By creating a suitable environment, including cultural and social amenities as well as pleasant academic surroundings, we will simplify the problem of acquiring scientific manpower. These people

Research Heads examine model of artist's impression of how The Ontario Research Community may look in 1970. Left to right—Dr. A. D. Misener, Ontario Research Foundation; Dr. N. S. Grace, Dunlop Canada Limited; A. O. Wolff, Consolidated Mining and Smelting Company Limited; L. S. Renzoni, International Nickel Company of Canada Limited.





are in short supply and high demand, and since they call the tune, we must provide the opportunities for them, and thereby retain their talents in Canada."

Present plans for the Research Community include the most up-to-date servicing systems, communications systems, power, water, gas systems, etc. Bell Telephone plans to install the most advanced facilities on the continent. Already being designed is a modern high-rise building to house a computor and data processing centre, and to provide accommodation for consulting engineers, and other professional services. Plans also include the building of a Conference Centre, Lecture Theatre, and other special features.

"I expect total population on the site to eventually reach six to ten thousand people," said Dr. Misener, "We look for this Centre to attract technical societies from all parts of the continent, as a site for their conventions and seminars."

To administer future land sales within the Community and other community development projects, a new non-profit corporation has just been formed—called Ontario Research Community Incorporated. This non-profit Corporation will raise money

to purchase the remaining land from the United Lands Corporation.

The estimated cost of O.R.F.'s property—land, buildings and services—is 7½ million dollars. This will provide sufficient accommodation for O.R.F.'s needs until 1965. O.R.F. expects that a further 5 million dollars will be required for O.R.F.'s expansion needs between 1965 and 1970.

The Ontario Government has agreed to provide one half of the extra funds necessary for the O.R.F. to relocate and rebuild. The other half of the extra funds will be the responsibility of the Ontario Research Foundation.

Dr. Misener paid tribute to the Ontario Government for their generous financial assistance, and complimented both Mr. Robarts, the Prime Minister of Ontario, and Mr. Macaulay, the Minister of Economics and Development, on their foresight and enthusiastic support of the project. The Ontario Research Foundation is an independent, non-profit research institute, and it enjoys the support and cooperation of the Ontario Government in many of its activities. For over 30 years O.R.F. has undertaken research and development for industry and for government on a contract basis.

COMPUTER SOLVES TRUSS DESIGN PROBLEMS


T HANKS to the lighting-fast calculations of an electronic computer, engineers of the Douglas Fir Plywood Association have recently been able to analyze 80 different experimental truss variations, normally one man's work load for an entire year, in just two and one-half minutes.


Adapting a broad method for truss analysis developed by Dr. Stanley Suddarth of Purdue University for the IBM 7090 computer, DFPA's Noel Adams prepared a program to analyze the 80 W-truss variations, each with plywood gusset plates. Adams wrote a program utilizing another IBM computer, the 1620, to prepare data for the 7090 program.

The computer cannot think for itself. What it did in this case was rapidly calculate mathematical stress values and force values upon the various experimental truss designs, each with a different arrangement of chords and gusset plates. All information to be analyzed was translated from geometric and mathematical terms to machine "language" with which the computer is set up to work.

Most of the trusses analyzed by DFPA engineers were in the 24-28-foot residential class. Ten to fifteen of them were large 60-foot trusses being considered for use in an experimental DFPA package building program.

An experimental truss, designed using a new electric computer program instead of conventional mathematics, is tested in the laboratories of the Douglas Fir Plywood Association. The large truss is shown undergoing load tests to determine its strength. The network of wires from the measuring device in the foreground carry load and stress information from every chord and plywood gusset plate for periodic checking and recording during load tests.





Southern California Edison Company today (Jan. 17) signed contracts for construction of a 395,000-kilowatt nuclear power plant—about twice as large as any U.S. atom plant now in existence.

Estimated to cost approximately \$82,000,000, the nuclear station will generate enough power to supply the electrical needs of a city of half a million population.

The plant will be located about five miles from San Clemente, Cal., on a 90-acre beach frontage at the Northwest corner of Camp Pendleton. Site preparation is to begin in October, and the target date for completion is July 1, 1966, according to Jack K. Horton, Edison president.

The plan is expected to go into commercial operation by Jan. 1, 1967, after a "startup period" of testing. A peak labor force of approximately 700 construction workers will be employed on the project, it was announced.

Signing of the contracts, climaxing several years of negotiations, was accomplished at a press conference in the Edison board room.

Companies involved in the project, in addition to Edison, include Westinghouse Electric Corporation, which will provide the reactor plant equipment, and other major steam and electrical apparatus; the Bechtel Corporation, engineering constructor; and San Diego Gas and Electric Company, which will have a 20% interest in the project.

The U.S. Navy Department recently notified Edison that it would approve location of the atomic plant at Camp Pendleton. Before this agreement can be formalized, however, Congress must put its stamp of approval on a bill authorizing the Navy to negotiate with Edison for an easement on the required land.

The nuclear plant will be of the pressurized water type, Horton stated.

"In our judgment," he commented, "this system is more dependable and more advanced in its development than any other now available."

Emphasizing the proven reliability of the pressurized water system, W. R. Gould, manager of Engineering for the utility, pointed out that three major power plants of this type are in operation and that 28 nuclear submarines and four surface vessels equipped with pressurized water reactors also are operating successfully.

The major commercial nuclear facilities already operating with Westinghouse-designed pressurized water systems are the Yankee Atomic Electric plant (165,000 kilowatts) at Rowe, Mass., completed in 1960 by a group of 11 New England investor-owned utilities; and the Shippingport, Pa., plant (60,000 kilowatts) finished in 1957 by the Atomic Energy Commission. Both have performed "in a highly satisfactory manner," Gould said.

Regarding the safety factor, Edison's Engineer for Atomic Energy, A. C. Werden, Jr., commented:

"Nuclear reactors now are being constructed and operated in a manner that renders them safer than many other kinds of industrial plants. Some 250 of them have been built in the last 20 years, and there has never been a single accident resulting in injury to the public.

MARINA 77



Marina 77, world's largest dry storage facility in world's largest marina, will be capable of "parking" 2,000 outboard motorboats under 22 feet in length in 14 five-story buildings. A project of Tidewater Development Company, Marina 77 was developed by Marina Associates. Hunter and Benedict, Architects, A.I.A., designed the project.

PLANS TO BUILD MARINA 77, world's largest dry storage facility for small boats, at Marina del Rey were announced by Jack Deitsch, president of Tidewater Development Company.

The four-phase, \$2.5 million project to provide "pigeonhold parking" for 2000 small boats and other facilities, was designed by Hunter and Benedict, Architects, A.I.A.

The concept of Marina 77, and the economic feasibility studies for all its components, was developed by Andrew M. Filak, marine study engineer and director of Marina Associates, Palos Verdes.

It would be eight times as large as the world's largest present facility, which houses 250 boats in Ft. Lauderdale, Florida.

Besides the six huge over-water storage buildings, served by 14 crane systems which will launch and retrieve stored boats, the complete development will also include transient launching and retrieving facilities, sales areas, repair shop, boating club and restaurant facilities, and many other unique developments.

Deitsch pointed to the growing boat storage needs of apartment dwellers, who have no back yards or driveways where they can leave their boat trailers.

"New construction of apartments had outpaced the building of single-family homes," said Deitsch, "and 80 per cent of all the boats in the county can be dry-stored, being less than 22 feet in length."

The Hunter and Benedict plan for Marina 77, expected to take about three years to complete, calls for four huge double structures and two triple structures with a separate crane system serving each unit. Boats of any size up to 22 feet can be taken out of the water and stored, or returned to the water, in less than one minute.

The first phase of the development, targeted for opening later in 1963, would complete the first dry storage units, along with rest rooms, parking, snack bar, delicatessen, marine hardware, repair shops, and transient launching facilities, as well as fueling installations.

The second phase, scheduled for completion in 1964, would add more dry storage units, a swimming pool and cabanas, the pavilion area and promenades. Third and fourth phases would expand all of these projects and include a motel.

Marina 77 occupies an L-shaped parcel on Basin H of Marina del Rey, the first basin leading northeast from the main channel as boats enter the Marina from the sea. It is on the mole served by Mindanao Way, next to the Pieces of Eight Restaurant.

Marina 77 might become the prototype for dry storage boat facilities in other marinas all over the world.

THE ALPHA PORTLAND CEMENT COMPANY announced plans for building a new plant at Catskill, N. Y. The new plant will be located on property adjacent to Alpha's present facility there, said Alpha president Robert S. Gerstell. Construcion is slated to begin this spring.

A part of Alpha's recently announced \$50 milion efficiency and modernization program, the new Catskill plant will be designed for large scale proluction with minimum maintenance to obtain low mit costs. Annual productive capacity will be 3 nillion barrels, nearly twice that of the present ,700,000 barrel plant. The new facility will be a

vet process plant.


A 510-foot kiln, much longer than those in typial cement plants, will be 17 feet in diameter at he burning zone. Silos will provide an unusually arge storage capacity of 540,000 barrels, or more nan two months' production. Large storage capaciy and new packing and handling facilities will ermit rapid rail, truck and barge delivery to ement users and distribution centers. Ultramodern lectrostatic dust precipitators, with efficiencies xceeding 99%, will prevent kiln dust from enterng the atmosphere.

The new plant will utilize the bulk storage facilies of the present plant, which were enlarged and odernized in 1960. Daniel L. Ziegler, the comany's director of construction, will supervise conruction. Ziegler was superintendent of construcon at Alpha's 2¼-million-barrel, \$18 million

esigner.


CATSKILL PLANT **FOR** ALPHA CEMENT

Scale model of new Alpha Portland Cement Company plant at Catskill (Cementon) N.Y. New plant with 150foot kiln will double company's productive capacity at Catskill.



PRODUCTS and PROGRESS











1. An entirely new architectural solid-core, flush door with a patented, concealed crossband construction, is being marketed by Ipik Door Company of Kenner, Louisiana. Called Stilemaster, the new door appears as a solid slab of lumber, yet the five-ply construction is maintained for stability. Crossbands are completely concealed at the stile edges allowing one-half inch trim for fitting and beveling the edges without exposing the crossbands. It is available in 134" and 134" thicknesses in all fine hardwood veneers.

2. Total man-hours—14!—Communications between the helicopter operator's two ground crewmen was by VHF radio, making possible precise directions for positioning the Air Conditioning units on 4 x 4 mounts and mating duct openings with a minimum of further adjustments. According to the contractor, the building's extreme width would have necessitated laborious pipe and plank inching for many units

across the roof even with a 100-foot crane.

3. In the first application of its type, a panel has been used by Caldor Departnew non-combustible, corrugated plastic ment Store, Lakeland, New York, as an awning to protect shoppers from inclement weather. Approximately 2,600 square feet of translucent green vinyl building panels manufactured by Allied Chemical's Barrett building products division were installed on a steel framework at the Caldor pick-up area. The green translucent panels transmit soft, diffused light. The panels are highly resistant to weathering, salt air and moisture.

4. Terrazzite Architectural Flooring—a hard-surface, decorative flooring which resembles classic terrazzo but provides four times the wear resistance and one-eighth the square foot weight. Terrazzite requires no recessed slab, and is poured and troweled ½" to ¼" thick, without dividers or expansion joints. It is moistureproof, stainproof,

greaseproof, and nonabsorbent. It is readily cleaned with detergent and water, requires no waxing and is both skidproof and slipproof. A new brochure describing Terrazzite flooring and specialty applications in commercial, institutional and residential use is available from Terrazzite Association of America, Inc., 2203 West Malone Street, San Antonio 25, Texas,

5. Meta-Mold aluminum panels can add new, decorative ideas to nearly every type of business and professional location. In this automobile showroom, they provide both a decorative and a functional use on the balcony and stair trim. The 12" square panels are lightweight, strong. easily assembled and need no permanent holes or attachments. Ideal for both interiors and exteriors, they are easy to keep clear since the aluminum designed panels will not accumulate dust like non-metal lic panels. Meta-Mold panels are avail able in a choice of black, white or gold and in several patterns.

Clip along dotted line

וובף מוכח מו שנו זרב זם תוכווווברום חל ו מנוומות בפוווכווו אססכותוומו

Concrete slab design for long-service floors. Example: erable traffic with trucks having loads of 10,000 lb. per crete for an industrial plant floor. There will be considwheel. Each wheel has a contact area of about 30 sq. in. Assume that operating conditions are such that impact will be equivalent to about 25 per cent of the load. The assume that a slab is to be designed of 5,000 psi conproximate formula for the allowable flexural tensile equivalent static load will then be 12,500 lb. An ap-

inder strength). For 5,000 psi concrete, the allowable stress of concrete is $4.6 \sqrt{f_c'}$ (in which $f_c' = 28$ -day cylstrength is then:

The allowable loads in chart at right are based on a stress of 300 psi, so the design load must be corrected by 300 ÷ 325 which gives 11,500 lb. From chart a load of 11,500 lb. on an area of 30 sq. in. requires a slab 4.6 \5,000 = 325 psi. about 71/2 in. thick.

1					$\frac{1}{1}$			30 40 50 60 70
dols "8		7" Slob		6" Slab	5" Slab			30 40 50
3	1		+			1		10 20

CONCRETE

MIX DESIGN DATA FOR ORDERING CONCRETE

FINISH

content in bags per cu. yd. Min. cement

Air content (%)*

Slump

(in.)

strength (psi) 28 day cylinder

W/C in gal. per bag

TRAFFIC

BUILDING

TYPE

Maximum Wheel Loads for Industrial Floors

Steel trowel

5+1 or 6±1

2-4

3500-4500

51/2-61/2

Predominantly

churches, hospitals, commercial bldgs.: where floor will be

Offices, schools,

foot traffic.

The chart above is based on flexural tensile stress of 300 psi. For other stresses multiply loads by ratio of 300 to stress used. For an allowable tensile stress of 300 psi, compressive strength of about 4,300 psi is generally required.

Hard steel frowel by power and hand equipment.

9

5+1 6十1

ō

5

4500-

4-51/2

and pneumatic

Foot traffic

cept concrete is wearing surface. Also for

Same as above ex-

covered with tile,

linoleum, etc.

SINGLE COURSE

fired vehicles.

service in light industrial buildings.

sign of concrete slab floors, or other concrete construction, just send a request on your letter-For additional literature on dehead. (U.S. and Canada only.)

fore power floating begins.

floating, but textured

to insure bond to

51/2

5+1 or 6±1

2-3

3500-4500

51/2-61/2

BASE COURSE

Steel wheeled Heavy abra-

Heavy industry such

vehicles. sive use.

mercial building with highly abrasive

O COURSE HEAVY DUTY

facturing, also any

industrial or com-

mills, heavy manu-

as foundries, steel

topping.

Surface leveled by

surface immediately be-

aggregate added to

9

5十1 or 6+1

1-3

4500-

4-51/2

and pneumatic tired vehicles.

subject to heavy or

abrasive use.

mercial buildings Industrial or com-

requirements for floors on ground

Foot traffic

Dry shake of extra hard

ASSOCIATION PORTLAND CEMENT

New Orleans 12, Louisiana 611 Gravier Street,

A national organization to improve and extend the uses of concrete

Special power floats, repeated hand troweling for smooth, dense abrasive resistant surface. Special extra hard aggregates are used.	=1%•
7%	aggregate use 6±1%, ready-mix plants,
Not required	for 34 in. max. available from
Zero	r content; rally not
12000	igregate use 5±1% air contaddle type mixer—generally
3½-4	max, aggrego ed in paddle
** DNING**	1/2 in.
	*For concrete with 1 **Topping mix must b
conditions.	*For ca
TWO COURS	•

EKCO DISTRIBUTORS, Inc.



Distributors of
WOOD
FOLDING
DOORS &
PARTITIONS
and



OTHER TOP QUALITY BUILDING SPECIALTIES

4102 ST. CLAUDE AVE.

WH 9-4821 7-0355

NEW ORLEANS 17, LOUISIANA





RESIDENTIAL AND INCOME PROPERTY

MORTGAGE LOANS

F. H. A. - G. I. Terms

75% Conventional at Low Interest Rates



225 Baronne St.

Phone 525-5273

"Visit our showroom"

ROUBION
TILE & MARBLE CO

- · CERAMIC TILE
- · VINYL TILE
- ACID PROOF FLOORS
 1128 Dublin St.
- MARBLE
- CARPETING
- BUILDING SPECIALTIES

New Orleans, La.

Phone 866-3677

UN. 1-1421



"For Building Needs DIXIE Leads"
8201 Fig Street — P.O. Box 4310
New Orleans 18, Louisiana



POLES, PILING, CROSSTIES, CROSSARMS, FENCE POSTS, LUMBER — PRESSURETREATED WITH CREOSOTE, CREOSOTE-COAL TAR OR PENTACHLOROPHENOL

AMERICAN CREOSOTE WORKS, INC.

"Built on 61 years' experience"

1305 Dublin St., New Orleans

Other sales offices: Jackson, Tenn.
Pensacola, Fla. • Chicago, Ill.
Houston, Texas • Tulsa, Okla.
Plants: Slidell and Winnfield, La.
Louisville, Miss. • Jackson,
Tenn. • Pensacola, Fla.

A. G. SIEGEL

ELECTRICAL CONTRACTOR



4136 Jefferson Highway

VE 831-138

New Orleans 21, Louisiana

DELTA MORTGAGE CORPORATION

DOUGLAS L. BLACK, President
CLAUDE E. MEYER, Vice Pres. & Secty.
EMMETT ST. GERMAIN, Vice President



802 Perdido Street

New Orleans 12, La.

Telephone 523-6221

COMMERCIAL — INSTITUTIONAL — RESIDENTIAL FINANCING

BRANCH OFFICES

BATON ROUGE

- SHREVEPORT

MONROE

W. D. FAUST

Electrical Sales Agency

manufacturers representative

- THE MILLER CO. (Since 1844)
 Industrial & Commercial Lighting
- CENTURY LIGHTING, INC.
 Stage Lighting Control Systems
- N. L. CORPORATION Church Lighting Since 1904
- SILVRAY LIGHTING, INC.
 Indirect Lighting for seeing comfort

33 HOWARD AVE. JACKSON 2-5791 NEW ORLEANS 12, LOUISIANA



Distributed By

SOUTHEAST DISTRIBUTORS, Inc.

NEW ORLEANS, LA.

914 HOWARD AVE.

TEL. 822-1684

WATERPROOFING CONTRACTORS

Architects, Artists, Advertising Agencies,
Contractors, Engineers, Lawyers,
Publishers and Executives

WHO REQUIRE EXCEPTIONALLY LIGHT, NORTH LIGHT, QUIET, AIRY, WELL-ARRANGED SMALL OR LARGE DFFICES AND SELECT TENANT-NEIGHBORS SHOULD VISIT

BALTER BUILDING

104 St. Charles Ave. • Commercial Pl. • Camp St.





DAVIS MANUFACTURING CO., INC.

MILLWORK - SASH & DOORS

PHONE HU. 6-6201

1075 S. CLARK STREET

NEW ORLEANS, LA.

CUSTOMUSIC

Music to please and profit by

in plants and offices; in stores and shopping centers; in banks and savings and loan associations; in transportation terminals; in business and institutions of every kind and type.

J. H. LYNCH CO., INC.

Phone 866-9657

1601 S. GAYOSO STREET . NEW ORLEANS

frank lotz miller, a.p.a.

ARCHITECTURAL PHOTOGRAPHY

Member of Architectural Photographers Association

1115 WASHINGTON AVE.

TW 5-3680

NEW ORLEANS, LA.

Specify full HOUSEPOWER for your clients . . .

ENOUGH ELECTRIC OUTLETS so lamps and appliances can be plugged in without moving furniture or using extension

ENOUGH BRANCH CIRCUITS of proper size wire to distribute electricity properly and prevent blown fuses—plus spare circuits for the future.

ENOUGH LIGHTS and SWITCHES properly placed so there's never any need to grope around in the dark.

ELECTRIC SERVICE ENTRANCE of at least 100-ampere capacity to take care of today's electrical needs-and tomorrow's, too.



A. F. LIVAUDAIS COMPANY

Building Specialties

- MOVABLE OFFICE PARTITIONS
- ELEVATED FLOOR SYSTEMS
- LAMINATED ARCHES & BEAMS
- ARCHITECTURAL METAL SOLAR SCREENS & **FACADES**

PHONE 529-4408 816 HOWARD AVE. NEW ORLEANS 12, LOUISIANA

THE ARCHITECT

The word architect, like many words derived from the Greek, is made up of two parts: archi-"chief", and tecton-"a builder." Thus the original meaning of the word explains a union of designing and building activities, a union which the architect maintained up to the middle of the 19th century. At that time, he was thought of more as a designer than as a builder. Architecture was seen as a "fine art", and transferred from the outdoors to an inside atelier, where it remained for nearly 100 years.

Today's interpretation of architecture places the architect somewhat nearer to that original meaning of the word. But the complex social and technical conditions of our highly industrialized society no longer makes that original union of designing and building quite possible.

An architect is a composite personality made up of two basic ingredients: the artist and the technician. As an artist, the architect possesses qualities which artists have possessed throughout the ages; an extraordinary imagination, and a keen awareness and expression of feelings.

As a technician, an architect must possess more than a speaking acquaintance with the available building materials and technology of his day; he must follow the ever-growing variety of equipment and appliances which form the core of modern building.

Today's architect comes closer than ever to fulfilling his historic mission by serving as "chief builder."

FOLDED PLATE ROOF eatured On University Christian Church

A N UNUSUAL folded plate roof of plywood, topped by a 32-ft.-high spire, will be featured on the new sanctuary of the University Christian Church planned for the corner of West Centinela Blvd. at Wooster in Westchester, Calif.

Members of the congregation have approved the model and drawings of the \$250,000 facility master-planned by Robert D. Bolling, AIA, partner in Deasy and Bolling, Los Angeles architectural firm. In addition to the sanctuary, the first phase of a long-range building program includes a two-story bible school.

Rising from low concrete walls near ground level, the sculptured slanting roof sides will terminate in a series of diamond-shaped skylights 38 feet above the sanctuary floor. The plywood roof will be sprayed with asphalt and glass roving beneath a color coat.


Panels of clear and stained glass will comprise the triangular facade. Center entrance doors will be protected by an unadorned canopy which leads to a long breeze-way connecting the sanctuary with the bible school. Of a more conventional design, the bible school building will house 14 classrooms in addition to a social hall seating 200, administrative offices and restrooms. The stucco facade will be interrupted only by an off-center entrance and canopy beneath a wide window. High narrow windows are planned for the side and rear walls, also of stucco.

Both structures will have acoustic plaster ceilings with fluorescent lighting and asphalt vinyl floors. Special incandescent spots will be used in the 350-capacity chapel for dramatic effects.

Plans by Bolling, a member of the congregation, have been created with future expansion in mind. The rear wall of the sanctuary will be demountable to permit enlarging, and both structures will be located near the street to allow for future buildings at the rear of the lot.

Completion of both structures is scheduled for this fall when the University Christian Church congregation will move from its present location at 1135 W. Santa Barbara in Los Angeles. Rev. Charles Richards is pastor.

Folded plywood plate roof characterizes sanctuary of the proposed University Christian Church in Westchester, Building at right is bible school. Cost of the project is \$250,000.





First floor of Ringgold, Georgia's Dixie Cafe is completely installed with Kawneer's Core System in this photograph. The Kawneer Model 188 door has been incorporated into the unique facing system. Upper section is prepared to receive metal panels.

M ost successful restaurants have a "personality" which gives distinctive character and atmosphere that lures customers back time after time.

Ringgold, Georgia's Dixie Cafe recently added "personality" by having its exterior completely remodeled with an amazing facing system. Kawneer Company's Core System is the new look. It is the most advanced method of remodeling buildings in the United States today.

Dixie Cafe was selected as one of the Core System test marketing jobs. Buildings in Texas, Michigan and Tennessee were also included in the national

test program.

Core System is an on-the-spot building method. No detailed architectural drawings are required, just

pencil, paper and tape measure.

Compatible with all other types of facing products, Core System contains all necessary adapters and fillers which enable installers to easily phase from old to new without costly custom made components.

In planning his new restaurant, owner Charles Stephenson wanted a clean, sparkling facade which would create a fresh and appealing atmosphere. Shining aluminum verticals and horizontals, filled in with colored panels, present the genuine feeling of wholesome newness the owner desired.

He feels that Dixie Cafe's "personality" is clearly

displayed at any customer's first glance.

It required less than two weeks' "down" time for the cafe front while Core System was being installed. Business was conducted as usual, however, and 350 daily patrons kept close watch on the modern changes being wrought on Dixie Cafe's exterior.

Restaurant Adds

"PERSONALITY"

With New Core System Exterior



Glazing of the last panel on Dixie Cafe's upper level, prior to the installation of a Kawneer Canopy, is portrayed, Ground level verticals and horizontals have been emplaced and glass and base panel components are frame-enclosed.







MORTGAGE LOAN SPECIALIST

INCOME PROPERTY • RESIDENTIAL PROPERTY • CONVENTIONAL — FHA — VA

New Orleans, La.

00 Maritime Bldg. — 529-5581

Baton Rouge, La.

1412 Florida Blvd. — DI 4-0328

Pelican



Plumbing Supply Inc.

310 Perdido Street

New Orleans 19, La.

Phone 522-8184

Wholesale Distributors for: KOHLER OF KOHLER

PLUMBING FIXTURES



ELEVATORS — ESCALATORS
DUMBWAITERS — SPEEDWALKS
ELECTRIC AND OIL HYDRAULIC

THROUGHOUT LOUISIANA BY

If States Elevator Corp.

Main Office: 715 CAMP STREET

A 2-2758

NEW ORLEANS


vegno & company incorporated

- · bonds
- insurance

12 whitney building

529-5571

new orleans 12, louisiana



Be sure it's

GENUINE
LATH AND

PLASTER

LOUISIANA BUREAU FOR LATHING & PLASTERING

H. RITCHIE, JR., Executive Secretary

4805 DANNEEL STREET

NEW ORLEANS, LA.

- Custom Aluminum Fabrication
- Special Windows
- Aluminum Door Frames
- Sunscreens and Decorative Grilles
- Aluminum Flush Doors
- Window Wall and Curtain Wall

We are at Your Service . . . Call Us for Complete Assistance including Preliminary Designs and Estimates



739 S. Clark Street, New Orleans

504 486 6581

Every Drafting Room Needs



 For low-cost, on-the-job, blueline prints, blacklines, sepias, foils! Dial control. Thermomatic rotary developing unit!

BLOUNT & COMPANY

806 Perdido Street

Phone 523-5649

New Orleans, Louisiana

CONSTRUCTION NEWS, INC. P. O. Box 679 Mount Vernon, New York

BULK RATE U. S. POSTAGE PAID

Permit 1459 New York, N. Y.

JOSEPH WATTERSON

ARCHITECTURAL MILLWORK AND FIXTURES

Bernard LUMBER COMPANY, INC.

NEW ORLEANS, LA., P. O. BOX 19408



TOP QUALITY MILLWORK — ARCHITECTURAL FIXTURES — CONSTRUCTION LUMBER — WHITEHALL & BRA DOM KITCHENS — ARCHITECTURAL FORMICA WORK — PLASTI-CLAD DOORS — PANI-FLEX- FOLDING DO UNITS — TABLES — BARS — PANELLING

7833 Edinburgh Street HU 8-0814

NEW ORLEANS 19, LOUISIANA

1017 Jefferson Highway VE 5-2536

Architectural and Engineering Supplies Surveying Instruments — Drafting Room Furniture
Blue Printing — Photostat Prints Super Photostat Prints — Photo Murals Phone JA 5-4271

New Orleans 12, La. 820-824 Union Street Authorized Representatives KEUFFEL & ESSER CO.

HOBOKEN, NEW JERSEY

C. R. BRANDON CO.

"Screening the Gulf Area Since 1920"



451 HOWARD AVE.

DISTRIBUTOR

KOOLSHADE CORP.

KANE MFG. CORP.

421 So. Salcedo St. HU 2-6921

New Orleans 19, La.

Jno. Worner & Son, Inc.

Builders' Hardware



401-405 DECATUR STREET PHONE: 529-2592 NEW ORLEANS 16, LA.

ARKLA-SERVEL GAS AIR CONDITIONERS

SELF CONTAINED AND REMOTE CHILLER-HEATER UNITS

GULF ENGINEERING CO. INC

1000 So. Peters Street

New Orleans, Louisia

JA 2-4421

See Our Fine Displays of LOCKWOOD HARDWARE and ELJER PLUMBING FIXTURES

TELEPHONE 524 - 2471

NEW ORLEANS 9, LA.